

This listing of claims will replace all prior versions, and listings, of claims in the application:

### Listing of Claims:

Claim 1 (Presently amended): A method for establishing a communication connection in a communication network between a person seeking communication and a communication partner to whom a personal communication address is allocated, the method comprising: <sup>(see Figure 1)</sup>  
addressing the personal communication address of the communication partner <sup>(see Figure 5)</sup>  
allocating an individual identification code of at least one communication terminal to the personal communication address depending upon time; <sup>(col 27, lines 40-60)</sup>  
~~reading out of a schedule store of the communication partner information about which~~  
individual identification code is allocated to the personal communication address of the communication partner at the time, the schedule store being administered by an appointments book program operated on a computer that is arranged outside a said communication network via which the person seeking communication and the communication partner can be connected; and  
B1 establishing the communication connection to the at least one communication terminal having the individual identification code.

Claim 2 (original): A method for establishing a communication connection as claimed in Claim 1, wherein, if the information is not available in the schedule store, the individual identification code of the at least one communication terminal is allocated to the personal communication address depending upon time.

Claim 3 (original): A method for establishing a communication connection as claimed in Claim 1, wherein the individual identification codes of a plurality of communication terminals are allocated to the personal communication address in a preselected order depending upon time and, if the establishment of the first communication connection fails, the establishment of communication connections to the communication terminals having individual identification codes is attempted in the preselected order of the individual identification codes of the plurality of communication terminals.

B1  
Claim 4 (original): A method for establishing a communication connection as claimed in Claim 1, wherein, for setting up the communication connection, the information about which schedule time is provided for the communication partner at the time is read out of the schedule store of the communication partner, at least one individual identification code allocated to the schedule time is read out of an address store of the communication partner, at least one individual identification code allocated to the schedule time is read out of an address store of the communication partner, and a communication connection is established to the communication terminal having the individual identification code allocated to the schedule time.

Claims 5-7 (cancelled).

Claim 8 (previously amended): A method for establishing a communication connection as claimed in Claim 1, wherein the computer and the communication network are connected via an interface operated in accordance with specifications of a Parlay Group.

Claim 9 (previously amended): A method for establishing a communication connected as claimed in Claim 1, wherein the communication network is an intelligent network.

Claims 10-11 (cancelled).

---